

# ELBA DAYLIGHT™ 1%

Professional Architectural Specification

## AVAILABLE COLORWAYS

---

Basalt

Limestone

Obsidian

Pumice

Quartz

Slate

## TECHNICAL SPECIFICATIONS

### DESCRIPTION

Designed with a beautiful jacquard weave, Elba Daylight™ provides a high-end decorative look for modern interiors. With an openness factor of less than 1%, it ensures approximately 99% UV blockage, protecting interior furnishings from sun damage while maintaining a bright, airy atmosphere. Its 100% polyester composition with acrylic coating makes it a durable and high-performing choice for privacy-focused applications.

### KEY CHARACTERISTICS

- Sophisticated jacquard weave for a decorative finish[cite: 65].
- High UV protection (99%) to prevent interior fading.
- Bacterial and Fungal Resistance (ASTM E2180, ASTM G21)[cite: 6, 12].
- Environmental certifications: RoHS Lead-Free and GREENGUARD Gold[cite: 6, 12].

### TECHNICAL DATA

Specification	Detail
Item Number	D22400
Weight	5.60 oz/yd <sup>2</sup> (191 g/m <sup>2</sup> ) ±5%
Thickness	0.022? (0.55 mm) ±10%
Available Widths	118? (300 cm)

**Acoustical Performance** NRC: 0.20, SAA: 0.20

### TECHNICAL SPECS

*Information for this section is coming soon. Please contact us to request this data.*

### CARE & HANDLING

- Remove dust with a vacuum cleaner or compressed air.
- Do not scrub the fabric.
- Do not use solvents or any abrasive substances which might damage the coating.
- For spot removal, a natural or dry cleaning sponge may be used.