

ELBA TWILIGHT™ BLACKOUT

Professional Architectural Specification

AVAILABLE COLORWAYS

Basalt

Limestone

Obsidian

Pumice

Quartz

Slate

TECHNICAL SPECIFICATIONS

DESCRIPTION

Elba Twilight™ features a refined jacquard weave paired with a high-performance acrylic blackout coating[cite: 8, 43]. With an openness factor of 0%, it provides 100% UV blockage, making it an ideal solution for bedrooms, media rooms, or any space requiring complete light control. This fabric combines the look of high-end textiles with the technical benefits of total solar shielding and interior protection.

KEY CHARACTERISTICS

- Total light blockage (0% openness) for maximum privacy.
- 100% UV protection to safeguard interior furnishings.
- Bacterial Resistance (ASTM E2180)[cite: 6, 7].
- Environmentally friendly: RoHS Lead-Free and GREENGUARD Gold certified[cite: 6].

TECHNICAL DATA

Specification	Detail
Item Number	022400
Weight	11.8 oz/yd ² (400 g/m ²) ±10%
Thickness	0.027? (0.68 mm) ±10%
Available Widths	118? (300 cm)
Acoustical Performance	NRC: 0.00, SAA: 0.03

TECHNICAL SPECS

Information for this section is coming soon. Please contact us to request this data.

CARE & HANDLING

- Remove dust with a vacuum cleaner or compressed air.
- Do not scrub the fabric or use solvents/abrasive substances that might damage the coating.
- Clean with a sponge or soft brush dipped in soapy water using mild detergent; rinse with clean water and leave down until dry.
- Small stains can be removed by very gently rubbing with a clean white pencil eraser.
- Support the full width of the roll during handling to prevent fabric deformation.