

FLOCKÉ® BLACKOUT

Professional Architectural Specification

AVAILABLE COLORWAYS

Blanc

Chartreux

Loutre

Mississippi

Sahel

TECHNICAL SPECIFICATIONS

DESCRIPTION

Flocké® is the premier choice for total light control and privacy. Constructed with a fiberglass core and a specialized acrylic and cotton-flocked backing, it effectively eliminates light leakage and glare. Beyond its blackout capabilities, Flocké® offers superior thermal protection by reflecting solar energy, helping to maintain comfortable indoor temperatures and significantly improving energy efficiency.

KEY CHARACTERISTICS

- 100% Blackout for total light control and privacy.
- Soft cotton-flocked backing for a high-end textile feel.
- Bacterial Resistance (ASTM E2180).
- Environmentally certified: RoHS Lead-Free and GREENGUARD Gold.

TECHNICAL DATA

Specification	Detail
Item Number	011201
Weight	15.93 oz/yd ² (540 g/m ²) ±10%
Thickness	0.020" (0.51 mm) ±10%
Available Widths	94.5" (240 cm), 118" (300 cm)
Acoustical Performance	NRC: 0.00, SAA: 0.02

TECHNICAL SPECS

Information for this section is coming soon. Please contact us to request this data.

CARE & HANDLING

- Remove dust with a vacuum cleaner or compressed air.
- Do not scrub the fabric or use solvents/abrasive substances.
- **Important:** The coating on the back side (flocked side) should not get wet.
- A dry chemical sponge or clean white pencil eraser can be used to remove small stains.